Colad

inventing more

INDEX

BRANCHES AND HQ

SWEDEN

THE NETHERLANDS
HQ ZWOLLE

POLAND

FRANCE

GERMANY

ITALY

PORTUGAL

SPAIN

UNITED STATES
OF AMERICA

125 ACTIVE COUNTRIES

Colad has a vast distribution network, serving customers our products in over 125 countries.

MARKETS

AUTOMOTIVE   **AVIATION**

MARINE   **INDUSTRIAL**

MOST POPULAR PRODUCTS

OUR MOST POPULAR PRODUCTS ARE MARKED WITH THIS ICON THROUGHOUT THE CATALOG.

Professionals need to work with the best products. Colad continuously evaluates its lines and the market, looking for ways to innovate and improve. These products will save you time and money, and help you achieve the best results possible.

7

Pump Sprayer Bottle
The Colad Pump Spray is equipped with VITON O-rings to resist both water and solvent-based degreasers. The spray mist is adjustable to fit your job perfectly.
9705

15

BodyGuard® Overall
The Colad BodyGuard® Overall provides optimum protection against overspray and prevents pollution of the paint job by fibers, dust and lint.
5200xx

22

Turbomix Paintsaver™
Perfect consistency and pigment blend are crucial for a spotless end result. Mixing paint with the Turbomix Paintsaver™ speeds up the process, reduces paint waste and ensures a perfect result!
9500

23

Metal Spray Samples
To test color accuracy of both waterborne coatings and conventional coatings, with a black stripe to indicate the degree of the colors' opaqueness and a 15 mm Ø hole to match the color. Suitable for conventional and waterborne coatings.
9315

PRIVATE LABEL PRODUCTS

COLAD PRODUCTS MARKED WITH THIS ICON THROUGHOUT THE CATALOG ARE ELIGIBLE FOR PRIVATE LABELING. FOR MORE INFORMATION, PLEASE CONTACT OUR CUSTOMER SERVICE TEAM OR YOUR LOCAL REPRESENTATIVE.

Full Color Print
Available on all Colad apparel products.

Embroidery
Available on all Colad apparel products.

Bottle Printing
Available on Colad Pump Spray products (9705PLAIN, 9705EPDM).

The Colad Fast Curing System

Colad FAST CURING SYSTEM

UV (Ultraviolet) Curing is a photochemical process during which the operator uses ultraviolet light from a specially designed tool to rapidly harden UV products such as coatings, primers and adhesives, making them ready for further work.

The Colad Fast Curing System enables you to work faster and more efficiently while significantly reducing curing time between process steps. UV products can be dried fast and easily with the Colad Fast Curing System UV Curing Light (curing times depend on layer thickness and exposure distance). UV light is able to cure layers with a thickness of up to 1 mm.

3 Key *Products for Smart and Spot Repairs*

UV Curing Light
Art.no. 9000-US
The premier UV lamp on the market.

UV Putty
Art.no. 915011/915020
For filling small cracks, dents, stone chips and micro-holes.

UV Putty Transparent
Art.no. 915033
For filling rock chips.

UV Fast Curing Process
Coarse and Fine


Damage


Sand

Degrease

Apply Coarse Putty

UV Cure

Apply Fine Putty

UV Cure

Apply Control Powder

Sand

Clean

UV Fast Curing Process
Transparent

Apply Transparent Putty

UV Cure

Sand

1 SURFACE PREPARATION

1.1 PUMP SPRAY SYSTEM

The Colad Pump Spray uses a unique Coding System to distinguish the different types of liquid content.

- Easy distinction and identification of fluids
- Helps maintain a clean and ordered workplace
- Complies with ISO certification where applicable
- Patented and innovative system

1 + 2 + 3
PUMP SPRAY SYSTEM

Pump Spray 1000ml
9705z
9705PLAIN

The Colad Pump Spray is equipped with VITON O-rings to resist both water and solvent-based degreasers. The spray mist is adjustable to fit your job perfectly.
Per piece.

Pump Spray EPDM
9705EPDM

The Colad Pump Spray EPDM is equipped with black EPDM O-rings to resist different materials such as Acetone, Benzyl alcohol, Butanol (butyl alcohol), and Castor oil A371 (see the resistence list for all liquids). Designed to fit perfectly to the paint job. The Colad Liquid Pump Action Spray Gun is silicone-free. Container is transparent.
Content: 1000 ml.
Per piece.

Wall Bracket
970506

Organize your workshop and use the Colad Wall Bracket to hang the Pump Spray on and have a central place for fluid identification.
2 pcs and connectable. Dimensions L x W x H (cm): 38 x 16.6 x 1.70 cm.

Pump Spray Coding Rings®
9705CR

Set of 6 coding rings including 2 Color Identification Charts. Easy to apply on your Pump Spray bottle. Helps you to identify the content quickly.

Colad PUMP SPRAY SYSTEM

SWISS MADE

**Solvent** — Extremely solvent resistant seals

3 bar — High pressure

Movable nozzle with adjustable spray output

Unique color coding system

Pump Sprayer Premium
1 L / 33.8 Fl Oz

+

Pump Sprayer Coding Rings
5 pcs

+

Color Identification Chart
1 pcs

=

Pump Sprayer Ultimate
Art.no. 9704

Pump Sprayer Ultimate
9704

A superior, highly solvent-resistant pump sprayer with an adjustable spray mist and a high compression level for a flawless spray output. This solid pump sprayer is highly resistant to nearly all water and solvent-based degreasers due to its specially designed seals. The continuous high pressure (3.0 bar) guarantees a flawless spray output which can be adjusted to your needs with the adjustable and durable brass spray nozzle. The fluid level is readable from the outside, and the bottle can be stably placed on any flat surface due to its flat base. The Colad Pump Spray System allows you to easily identify between different fluids using color-coded rings. Log your code on the Color Identification Chart to maintain control of your sorting. Content: 1000 ml.
Including: One Pump Sprayer + Six Pump Spray Coding Rings + One Color Identification Chart

Pump Sprayer Premium
9703

This solid pump sprayer resists both water and solvent-based degreasers due to the Viton O-rings. The continuous high pressure (3.0 bar) guarantees a flawless spray output which can be adjusted to your needs with the adjustable and durable, brass spray nozzle. Content: 1000 ml. Including: One Coding Ring.
Per piece.

Pump Sprayer Coding Rings
9702

A unique system to easily distinguish the content of your pump sprayers. The Colad Pump Sprayer Coding Rings allow you to easily identify between different fluids using color coding. Log your code on the Color Identification Chart to maintain control of your sorting.
5 pcs.

Color Identification Chart
970201

Log your code on the Color Identification Chart to maintain control of your sorting. Size: A2 (420 x 594 mm). Per piece, folded in four to A5 (210 x 148 mm).

Nickel-Plated Nozzle Pump Sprayer Ultimate
970402

One spare part nickel-plated nozzle for the Colad Pump Sprayer Ultimate.
4 grams.
Per piece.

1.3 MASKING / TAPES

Foam Masking Tape
908013 (13 mm x 50 m)
908019 (19 mm x 35 m)

Foam Masking Tape is the product to use for masking gaps between hoods, doors and car body parts.
Per roll in a dispenser box.

**Diagonal Foam Masking Tape**
9080 (38 m)

Innovative diagonally shaped Foam Tape for the smoothest edges. Seal apertures between panels preventing the need for rework on hard paint lines by using our innovative diagonally shaped Foam Tape.
Per roll 38 m. in a dispenser box.

**Stegoband Perforated**
906023 (10/11 mm x 10 m)

This Stegoband is perforated every 4 cm so it is easy to tear off. It has a wide edge of 21 mm in total. It is also possible only to use the small edges of 10 or 11 mm. Stegoband can be removed easily leaving no residue.
Per roll in a dispenser box.

Sensor Covers
9090 (dispenser box: 500 pieces)
9090300 (dispenser box: 300 pieces)

The quick and easy solution for masking integrated parking sensors! Integrated parking sensors need to be handled with care. To properly sand or paint a bumper, they must be covered or disassembled, which is time consuming. Solve this problem by using the Colad Sensor Covers.

Fine Line Tape
903003 (3 mm x 55 m)
903006 (6 mm x 55 m)
903009 (9 mm x 55 m)
903012 (12 mm x 55 m)
903019 (19 mm x 55 m)

Green Fine Line Tape, specially designed to mask objects if excellent color separation is required when spraying with multiple colors, printing or custom painting. It adheres to a wide variety of surfaces and can be used in combination with waterborne coatings. It can be removed easily without leaving any residue.
Per roll in a plastic bag.

Colad Orange™ Masking Tape
900019 (48 rolls - 19 mm x 50 m)
900038 (24 rolls - 38 mm x 50 m)

Colad Orange™ Masking Tape is highly temperature and UV resistant! It also has a unique adhesive compound. It is suitable for all types of paint systems. This tape is UV and weather resistant up to 8 days It leaves no residue after removal, has exceptional sharp lines and has a temperature resistance of 212°F for 1 hour.

Permanent Attachment Tape
900509 (9 mm)
900512 (12 mm)

Transparent double-face tape, for attaching strips, registration plates and accessories to cars. Clear, permanent bonding, double-sided film. Thin and highly durable. Quick and simple to apply, resulting in an appearance equal to O.E.M. standards.
Per roll in a plastic bag.

Double-faced Acrylic Foam Tape (10 m)
901006 (6 mm)
901009 (9 mm)
901012 (12 mm)
901019 (19 mm)

Double side foam tape, to attach strips, registration plates and accessories to cars. Weather resistant.
Per roll in a plastic bag.

1.4 MISCELLANEOUS

Body Line Marking Tool
8040

The Colad Body Line Marking Tool is designed for body shops. This unique marking tool helps you to follow and mark the original body lines of a vehicle in a fluid motion. A pencil will mark the outer body lines of vehicle design, even on difficult round and curved auto parts like wheel housing, doors, etc. This can be used to follow the line and improve and speed up the sanding process.
Per piece, including pencil.

Magnetic Foil Cutter
2070

Very practical cutter for plastic foil and masking paper with magnet on back. The special design of this cutter guarantees that cutting is simple, safe and prevents damage to the vehicle.
Per 10 pieces.

Electric Foil Cutter
2075

Electrical cutter for plastic foil and masking paper, supplied in a bag with belt strap for easy storage. The special design of this cutter guarantees that cutting is simple, safe and prevents damage to the vehicle. It ensures fast and effortless cutting of the masking foil. Requires 2 x AA batteries (not included).
Per piece.

2076
Spare blades for Foil Cutter. Set of 2 blades (top and bottom blade).

Control Powder
8035 (100 g)

Sanding guide to be used as a sanding control coat on fillers. This product is very economical in use and can be widely applied.
Per box of 100 g and applicator in each box.

Scuff Rolls (Red - Very Fine)
38200800 (115 mm x 10 mm)

Particularly appropriate for the roughening of unpainted or primed plastics, plywood steel and aluminum parts. Scuff Discs may also be used to prepare new sheet metal parts for refinishing.
1 roll shrink wrapped.

Undercoating M80
4010 (1 L) (Black)

Undercoating with anti-corrosion and noise reduction properties. Material made of rubber and resins. After drying, the coating is paintable. The coating offers excellent protection against climatic influences and against gravel and stone chips. 1 L tin with spray connection (suitable for +/- 2.5 m^2).
Per piece.

Undercoating Spray Gun Adjustable
90672674

Gun for the application of undercoating and cavity protection products in tins of 1 liter. Gun with an air connection and a nozzle to apply the product on the surface. This gun is also equipped with an adjustable nozzle to adapt the spray pattern.
Per piece.

Plastic Spreaders (120 x 90 mm)
9106 (100 Pieces) (Red)
9108 (100 pieces) (Black)

These spreaders are specially designed for the application of putties.
Use the red flexible spreader for flat surfaces.
Use the black super flexible spreader for curved surfaces.
Made of plastic to avoid scratches in the surfaces.
With flattened spread-edge including grip.

Japanese Putty Knives
9100

Japanese knives for spreading putty. Made of first class quality steel; very flexible, with grip.
Per set of 4 pieces in different sizes.

2   UV FAST CURING SYSTEM

2.1 EQUIPMENT

Fast Curing UV Light
9000-US

Cure UV products fast and easy with Colad's Fast Curing UV Light. As the catalyst in Colad's Fast Curing System, it enables you to work faster and more efficiently while significantly reducing curing time between process steps. It has the ability to cure layers with a thickness of up to 1 mm. Typically cures Colad brand UV putty in 2-3 seconds (curing times depend on layer thickness, exposure distance, and environmental factors). 5 meter cord.
Per piece.

Top Seller!

UV-Light
03.5801US

The UV-Light is designed for small to medium cure areas. It's easy to carry, as it is equipped with a belt clip. Other features include a comfortable ergonomic grip and an intelligent battery indicator. Typically cures Colad brand UV putty in 7-10 seconds (curing times depend on layer thickness, exposure distance, and environmental factors).
Per piece.

NOVA-US S
03.5802US

The NOVA-UV S is built for medium to large cure areas with a long operating time. It's a slim and handy product, designed with a flexible bracket and strong magnets, which allows it to be placed in various positions for the best curing angles. Typically cures Colad brand UV putty in 5-8 seconds (curing times depend on layer thickness, exposure distance, and environmental factors).
Per piece.

2.2 PUTTY

UV Putty Coarse
915020 (190 g)

An all-round UV putty, perfect for smart and spot repair. The putty is a one-component product, making it easy to apply. Can be applied to various surfaces, like metal and plastics.
Per piece.

UV Putty Fine
915011 (220 g)

An all-round UV putty for finishing small unevenness. Perfect for smart and spot repair. The putty is a one-component product, making it easy to apply. Can be applied to various surfaces, like metal and plastics.
Per piece.

UV Putty Transparent
915033 (50 ml)

UV Putty Transparent is specially developed to fill tiny rock chips. The putty is a single-component product and is easy to apply to various substrates, like metal and plastics. Apply the putty with the Colad Paint Touch-Up Sticks included to fill even the smallest chips.
3 bottles + 100 Touch-Up Sticks per box.

3 PERSONAL PROTECTION

3.1 BODYGUARD®

BODYGUARD®
For a full day of working comfort and protection!

The Colad BodyGuard® Overall provides optimum protection against overspray and prevents pollution of the paint job by fibers, dust and lint.

Designed with the user in mind!
To guarantee you a full day of working comfort, this updated BodyGuard® responds to the experiences of our users. We improved the antistatic capacity with a different type of fabric and redesigned the hood for a better fit!

Personal Protective Equipment (PPE)
Category I according to European Directive 2016/425/EU - Basic PPE protects against minimal risks. Protects against non-hazardous chemicals, like waterbased paints or harmless cleaning detergents.

BodyGuard® Premium Comfort Spray Overall

520052PLAIN (size 52 - S)
520054PLAIN (size 54 - M)
520056PLAIN (size 56 - L)
520058PLAIN (size 58 - XL)
520060PLAIN (size 60 - XXL)
520062PLAIN (size 62 - 3XL)
520064PLAIN (size 64 - 4XL)
Per piece.

1% carbon thread for higher antistatic capacity!

Spacious but fitted hood for a more comfortable fit!

Still the best fit and highest comfort!

BodyGuard® Features:
- Ultimate heat release capacities
- A highly durable blind zipper
- Durable gray nylon fabric
- Soft, flexible cuffs
- Two back pockets
- Extra movability

EN 1149-5

According to 1149-3, Method 2: Induction decay time.

BEST PROTECTION
- Anti Static Coating (EN 1149-1:2006)
- Dust and Lint free
- Protects against overspray
- Tight fit to neck, sleeves and ankles cuffs

HIGH PERFORMANCE
- Perfect fit for all sizes
- Maximum movability
- Efficient body heat loss
- Comfortable for the entire working day

DURABILITY
- Durable, protected zipper

ATTRACTIVE APPEARANCE
- Gray Color
- Non-transparent
- Representative appearance

3.1 BODYGUARD ®

BodyGuard® Premium Comfort Lab Coat

520148PLAIN (Size 48 - S)
520152PLAIN (Size 52 - M)
520156PLAIN (Size 56 - L)
520160PLAIN (Size 60 - XL)
520164PLAIN (Size 64 - 2XL)
Per piece.

The Colad BodyGuard® Lab Coat provides optimum protection against overspray and prevents pollution of the paint job by fibers, dust and lint. Very durable and well vented.

Designed with the user in mind!
To guarantee you a full day of working comfort, this updated BodyGuard® responds to the experiences of our users. We improved the antistatic capacity with a different type of fabric and redesigned the hood for a better fit!

Personal Protective Equipment (PPE)
Category I according to European Directive 2016/425 - Basic PPE protects against minimal risks. Protects against non-hazardous chemicals, like waterbased paints or harmless cleaning detergents.

EN 1149-5
According to 1149-3,
Method 2: Induction decay time.

3.2 UNDERSHIRTS

BodyGuard® Undershirt Short sleeve:
540052 (size 52 - M)
540056 (size 56 - L)
540060 (size 60 - XL)
540064 (size 64 - XXL)
Per piece.

Sleeveless:
540152 (size 52 - M)
540156 (size 56 - L)
540160 (size 60 - XL)
540164 (size 64 - XXL)
Per piece.

The apex of where comfort and functionality meet. The BodyGuard® Undershirt is the most comfortable shirt to wear under your paint suit. They're designed with a heat-regulating fabric that holds both anti-dust and anti-static properties, preventing it from sticking to your suit or yourself. These moisture-wicking shirts are built with a tight-fit to guarantee optimal freedom of movement while remaining comfortable to wear through a full work day.

Tight, elastic fit for optimum freedom of movement
Dust free, lint free, silicon free
Does not attract dust
Regulates body heat

3.3 NYLON PAINT PROTECTION

EN 1149-5

According to 1149-3,
Method 2: Induction decay time.

Nylon Spray Coat

510152PLAIN (size 52 - S)
510154PLAIN (size 54 - M)
510156PLAIN (size 56 - L)
510158PLAIN (size 58 - XL)
510160PLAIN (size 60 - XXL)
510162PLAIN (size 62 - 3XL)
510164PLAIN (size 64 - 4XL)
Per piece.

For use during paint jobs to protect
the wearer against paint spray and
to protect the paint job against
fibers, dust and lint. White to prevent
distortion of color vision; very durable
and well-ventilated. One spray coat in
a box. Personal Protective Equipment
(PPE) category I according to
European directive 2016/425/EU –
Basic PPE protects against minimal
risks.

Nylon Spray Overall

510052PLAIN (size 52 - S)
510054PLAIN (size 54 - M)
510056PLAIN (size 56 - L)
510058PLAIN (size 58 - XL)
510060PLAIN (size 60 - XXL)
510062PLAIN (size 62 - 3XL)
510064PLAIN (size 64 - 4XL)
510066PLAIN (size 66 - 5XL)
510068PLAIN (size 68 - 6XL)
Per piece.

For use during paint jobs to protect the
wearer against paint spray and to protect the
paint job against fibers, dust and lint. White
to prevent distortion of color vision; very
durable and well-ventilated. One overall in a
box. Personal Protective Equipment (PPE)
category I according to European directive
2016/425/EU – Basic PPE protects against
minimal risks.

3.4 HAND PROTECTION

Skin Care Cream
8236 (250 ml)

Quickly absorbed by the skin, moisturizes the skin,
prevents the skin from drying out and silicone-free.
Frequent use helps the skin to recover, leaving it
smooth and supple. Use it after each working day!
Apply the Skin Care Cream on dry and clean hands.
Rub the cream on the hands until it is absorbed by
the skin for maximum skin recovery. Dermatologi-
cally tested.
Per piece.

4   PAINTING

4.1 MIXING CUPS

Colad Mixing Cups for paint preparation are made of polypropylene. Because of the clearness of the cups, the paint content and the mixing ratios are very visible from the inside of the cup.

It is designed for one time use; save cleaning time with the Colad disposable Mixing Cup.

THE PERFECT MIX!

AVAILABLE IN FIVE SIZES

COMPATIBLE WITH VARIOUS PAINT APPLICATION SYSTEMS

SOLVENT RESISTANT

ANTI-STATIC

STACKABLE TO SAVE SPACE

PRECISION PRINTED WITH 11 ACCURATE MIXING RATIOS:
1:1, 2:1, 3:1, 4:1, 5:1, 6:1, 7:1, 8:1, 9:1, 10:1, 11:1. *350 ml has 8 mixing ratios.

2 MEASURING SCALES in millilitres and fluid ounces.

FLAT BOTTOM

Mixing Cups

	Quantity	
	150 pieces (6 x 25 pieces)	300 pieces (6 x 50 pieces)
350 ml	9350150	9350300
700 ml	9370150	9370300
900 ml	9390150	-
1400 ml	-	9400300
2300 ml	-	9410300

Mixing Cup Dispenser
94990350 (350 ml)
94990700 (700 & 900 ml)
94991400 (1400 ml)
94992300 (2300 ml)

Wall dispenser made of durable stainless steel to hold Colad Mixing Cups. The Mixing Cups are easily dispensed one at a time, keeping them clean and free from dust and saving space in the mixing room.
Per piece.

Mixing Cup Lids
9320 (88 ml)
9360 (350 ml)
9380 (700 & 900 ml)
9480 (1400 ml)
9490 (2300 ml)

To cover the Colad Mixing Cups and to protect paint against dirt and dust. Easy application.
100 pieces in a box.

4.2 PAINTING

130 µm   190 µm

Snap Lid®
9350xx0SL - 350 ml lids with strainer
9370xx0SL - 700 ml lids with strainer

Snap Lid® (lids) with built-in strainer of one micron size in a handy dispenser box. Suitable for the 350 ml and 700 ml Colad Mixing Cup. The dispenser box is easy to mount at working height with the Colad Wall Mount art. no. 937010.

900 ml   700 ml/700 ml UV   350 ml   88 ml

Snap Lid System®
931001x0SLS - 88 ml Colad Mixing Cups + Snap Lid®
9350xx0SLS - 350 ml Colad Mixing Cups + Snap Lid®
9370xx0SLS - 700 ml Colad Mixing Cups + Snap Lid®
93901x0SLS - 900 ml Colad Mixing Cups + Snap Lid®

Colad Mixing Cups + Snap Lid®. Snap Lid® with built in strainer of one micron size.

Snap Lid®

Capacity	Packing	130 µm waterborne coating	190 µm conventional based coating
350 ml	50 lids	9350130SL	9350190SL
700 ml	50 lids	9370130SL	9370190SL

Snap Lid System®

Capacity	Packing	130 µm waterborne coating	190 µm conventional based coating
88 ml	50 lids + 50 cups + 10 caps	93100130SLS	93100190SLS
350 ml	50 lids + 50 cups	9350130SLS	9350190SLS
700 ml	50 lids + 50 cups	9370130SLS	9370190SLS
700 ml UV	25 lids + 25 cups + 25 caps	-	9370190SLSUV
900 ml	40 lids + 40 cups	9390130SLS	9390190SLS

Snap Lid System® UV Resistant
9370190SLSUV

This UV blocking Snap Lid® is specially designed for the processing of UV curing coatings.

MIX   *SNAP*   *GO!*

4.3 PAINTING ACCESSORIES

Adapters for the Snap Lid System®
9370Axx

Matching adapters are available for most types of spray guns. Most popular adapters are article numbers: 9370A04, 9370A09 and the 9370A11. Ask your local sales representative about any specific compatibility questions.

Use our Find Your Adapter tool, available on snaplid.com

Brand	Model	Adapter no.
DeVilbiss	TEKNA, CVi, PLUS, GTi, PRi, JGA, Finishline	9370A14
DeVilbiss	Sri Pro	9370A08
DeVilbiss	Starting Line	9370A22
EMAX	AirBase	9370A09
Graco	Razor	9370A37
Iwata	LPH-400 & W400LV	9370A09
Iwata	SuperNova, Air Gunsa, LPH300, W300	9370A13
Iwata	LPH-80	9370A18
SATA	NR2000	9370A02
SATA	QCC Full Size	9370A04
SATA	QCC Mini	9370A05
Sagola	Xtreme, GTO	9370A11
Sagola	403-4200, Classic Pro, Mini Xtreme	9370A10
Walcom	GEO F/X	9370A12

...and more, available on snaplid.com

Snap Lid® Sealing Caps
9370CAP

Seal your Colad Snap Lid® temporarily with a Snap Lid® Sealing Cap. The cap fits perfectly on top of the Snap Lid® when removed from the spray gun. Use a second Snap Lid® Sealing Cap to seal your adapter and keep the paint channel dust-free.
Packed in a plastic bag with 100 pieces.

Wall Mount
937010

Easily mount your Snap Lid® Dispenser Box to the wall at working height with this Snap Lid Wall Mount. Attach to the wall with Colad Double Faced Acrylic Foam Tape or use two screws.
Per piece.

Dust Needle Set
9800

This Colad Dust Needle Set is an effective tool for removing lint, dirt and dust from wet paint. Consisting of an aluminium pen/holder and 10 needles.
Per piece.

Paint Touch-up Sticks
9910 (1.0 mm)
9915 (1.5 mm)
9920 (2.0 mm)

The Paint Touch-up Sticks are an excellent tool for retouching small spots where the paint is damaged and needs a very minor paint repair. The tip of the stick is lint-free and made of non-absorbing fibres. The sticks can also be used for removing dust and cleaning very tiny car parts.
100 pieces per tube / 4 tubes in 1 box.

4.4 TURBOMIX PAINTSAVER™

Colad | TURBOMIX PAINTSAVER

Turbomix Paintsaver™
9500 (512 count)
9500256 (256 count)
937010 Wall Mount

Perfect consistency and pigment blend are crucial for a spotless end result. Mixing paint with the Turbomix Paintsaver™ speeds up the process, reduces paint waste and ensures a perfect result! Dimensions: 22 x 2 cm. Suitable for mixing cups up to 1400 ml. 512 or 256 pieces in a dispenser box.

BREAK IT (BEFORE YOU MIX)

1

2

TO SAVE PAINT AND PIGMENTS!

EXTRA STRONG & EXTRA LONG STIRRER 22 CM!

ERGONOMIC HANDLE

DESIGNED TO ACHIEVE THE PERFECT BLEND

90°   ROUND

SUITABLE FOR ALL TYPES OF MIXING CUPS

Turbomix Paddles XL
9520200

Plastic paddle made from recycled synthetic material. Easier stirring and better mixing due to the curved shape and holes. Dimensions: 30 x 3 cm, suitable for mixing cups of 1400 or 2300 ml. 200 pieces in a dispenser box.

www.turbomixpaintsaver.com

4.5 SPRAY SAMPLES

To test color accuracy of both waterborne coatings and conventional coatings with a black stripe to indicate the degree of the colors' opaqueness and a 15 mm Ø hole to match the color. Suitable for conventional and waterborne coatings.

Metal Spray Samples

	Quantity		
	750 pieces	**100 pieces**	**25 pieces**
White	9315	9315-0100	9315-GV1
Light Gray	9315-01	9315-0300	9315-GV3
Medium Gray	9315-02	9315-0500	9315-GV5
Dark Gray	9315-03	9315-0700	9315-GV7
Black	9315-05	9315-0900	9315-GV9

Magnetic Holder
931901

To keep your hands clean while spraying.
Per piece.

Spray Sample Sleeves
9319SLEEVE

These small carton sleeves provide room for one painted Colad Spray Sample. Basic information of the date, car type, color code and remarks can be listed on the sleeve. When stored, the color is visible at a glance through the square hole in the front of the sleeve.
Per set of 250 pieces.

Spray Sample Cabinet
931801

Solid cabinet: an ideal system for keeping your Metal Spray Samples neatly stored! Spray out cards not included.
Per piece.

4.6 COLOR CHECK

Easy2Check®
9300 (400 ml Aerosol Spray Can)

Spray on a spray sample to create a glossy
finish and check if the color corresponds.
Can also be used for sanding checks!
400 ml per spray can.
Per piece.

Check Light 2.0
9332

A versatile work light with high efficiency
LED (high CRI value) and an operating time
up to 3 hours. Designed for perfect color
matching, scratch and defects recognition.
Per piece.

4.7 MISCELLANEOUS

For a spotless degreased surface!

Non-woven Degreasing Wipes

Art. no. B12686589

The preparation process requires perfect cleaning to avoid any contamination of the painted
surface. The Degreasing Wipes are top quality cloths made by a unique production process,
all to ensure a spotless degreased surface and an excellent paint job.

Features and Benefits

Highly absorbent, immediately leaving surfaces clean and dry.
Low lint.
Can be used with all modern water-based and conventional solvent degreasers and
silicone-removers.
Wipes are extremely tough, suitable for all cleaning processes.
Does not contain any silicone, binders, fillers or other chemical additives.

Non-woven degreasing wipes, easy to use in combination with the Colad Pump Spray
System. Main features: strong material, a minimum of loose fibres and super absorbent.
Ideal for use with water and/or solvent based degreasers. No traces are left behind on
the cleaned surface.
200 pieces in a box. Dimensions 32.5 x 42 cm, folded in four.

4.7 MISCELLANEOUS

Dispenser Bottle 1000 ml
9700

1000 ml plastic bottle for dispensing special diluent to waterborne coatings.
Equipped with a fine, "drop by drop" nozzle.
Per bottle.

Tack Rags Cotton Gauze
9165

Developed with an ideal formulation that captures the dust very efficiently. Picks up and holds all dust, dirt and sanding residue to prepare the surface for a smooth blemish-free finish. Recommended for medium to large dust particles. Made of cotton gauze. Size 82 x 45 cm.
Per box of 10 pieces in individual bags.

Tack Cloth Waterbased
000805

Small, medium and large dust particles. Made of viscose and polyester. Size 61 x 37 cm. Combined compact and open structure. For use with water and/or solvent-based coating. Can be applied as transition edge remover. Removes imperfections on various substrates before spraying. Lint-free.
Set of 10 pieces in a plastic bag.

Water Base Pre Cleaner
8301US (1GAL)
8305US (5GAL)

Water Base Pre-Cleaner can be used to remove road grime, silicone, grease and wax, and also contains a rust inhibitor. It can be applied directly to the surface with the Colad Pump Spray System.

Wax and Grease Cleaner
8401US (1GAL)
8405US (5GAL)

A premium solvent-based pre-cleaner designed to remove silicones, wax, grease and other contaminants from the surface. It has a slower flash time, giving you more time to wipe off the surface. Leaves no residue and is ideal for use in warmer climates.

5 SPRAY BOOTH MAINTENANCE

Film4Booth

6860 (Roll: 90 cm (35.4") x 84 m (275.6 ft) including 6 rolls of tape)

A transparent, protective, self-adhesive film that can be applied to mask your booth walls. Protects your walls from overspray and is easily removed by simply peeling off the layers one by one when contaminated.

Features & Benefits
- Keeps your walls clean
- 4 layers for a longer protection time
- Can be applied over lights and windows
- Easy to remove by peeling off each layer
- Treated with paint adhesion
- Easy to apply

CONSUMPTION
1 roll = 75.6 m^2

APPLICATION
Spray Booth Walls

AMOUNT OF LAYERS
4 layers in 1
(All layers are numbered)

APPLICATION METHOD
By hand with applicator and dispenser

Blizzard White Peelable Booth Coating

467991 3.8 L (1 GAL)
467995 18.9 L (5 GAL)

A white, protective coating that forms a strong layer on your booth walls. Protects your walls from overspray, gives them a bright appearance and easy to remove by simply peeling off the layer.

Features & Benefits
- Keeps your walls clean
- White for optimum reflection
- Easy to remove by peeling off the layer
- Ready to apply

HUMIDITY
40 - 60% RV

CONSUMPTION
1 layer = 6.66 m^2/L
all other = 16 m^2/L

NUMBER OF COATS
Recommended coat thickness: 150 micron. Apply twice until a minimum of 150 micron coat is achieved. Advised amount of coats: First coat in advised micron. Multiple coats can be applied on top of each other (a maximum of 6 coats) to regain whiteness. All extra coats can be applied in approx. 65 micron. Drying at room temperature.

APPLICATION METHOD
Apply with spray gun, airless system, brush or paint roller.

APPLICATION
Spray Booth Walls

Ice Transparent Peelable Booth Coating

467901 3.8 L (1 GAL)
467905 18.9 L (5 GAL)

A transparent, protective coating that forms a strong layer. Protects your lights and windows from overspray and can easily be removed by peeling off the layer.

Features & Benefits
- Keeps your lights and windows clean
- Easy to remove by peeling off the layer
- Ready to apply

HUMIDITY
40 - 60% RV

CONSUMPTION
4 - 6 m^2/L

NUMBER OF COATS
Recommended coat thickness: Apply twice until a minimum 150 micron coat thickness is achieved. The applied material will have a milky color. This will turn transparent once dry. Don't apply multiple coats on top of each other. This will reduce opacity and light efficiency. Allow to dry at room temperature.

APPLICATION METHOD
Apply with spray gun, airless system, brush or paint roller.

APPLICATION
Windows and Lights

New and Improved Dust Control
8201US (1GAL)
8205US (5 GAL)

Traps dust and dirt down on paint booth floor to prevent dust from swirling onto paint jobs.

Reduces cut and buff labor time.
Apply daily with a pressure sprayer.

Stick & Go®
676010 (60 cm x 10 m)

Quick and efficient protection of surfaces like stainless steel table tops. Per roll.

White for optimum reflection
Chemical and solvent resistant
Strong and durable
Ribbed anti-slip surface
Easy to apply and cut
Not anti-static

Booth Kit
467999

Kit Includes:
4x Blizzard White Booth Coating 3.8 L (1 GAL)
1x Ice Transparent Booth Coating 0.9 L (1 QT)

365 Fifth Avenue South; Suite 202, Naples, FL 34102
1 (855) 629-1732   ask@colad.com   **www.colad.com**

inventing more